

COVERT VIDEO OPERATIONS WILL NEVER BE THE SAME AGAIN!



RECLUSE VIDEOTEK BLACK BOX

- Built-in camera
- Digital recorder
- Rechargeable battery
- Recording at real-time
- Totally Camouflaged!
- 8 Hours Recording Time
- High Resolution And Frame Rate

The Recluse VideoTek Blackbox is a high end high resolution and high frame-rate covert video camera that you can not see with the naked eye with a built in video recorder with time and date stamping. It's specifically designed to avoid alertness by such products as pin-hole lens cameras as no one will notice the camera even inches away! The patented innovative Black Box records video under completely covert conditions without human eyes recognizing it as a video surveillance recorder and system.



1. DC Input

2. AV Output

3. AV Input

4. SD Slot

5. Power LED
indicator

6. Playback LED
indicator

7. SD Card LED
indicator

8. Power
On/Off



Features:

- State-of-art Innovative housing without pin-hole lens
- Built-in low lux CMOS camera
(adopt external camera input with power supply)
- View angle 75 Degrees
- Mpeg-4 Codec
- Records audio and video at real-time 30/25fps (NTSC/PAL)
- 2GB SD card last averagely for 8 hours recording continuously
- Playback records on unit or using PC media player
- Built-in rechargeable Li-polymer battery for at least 6 hours recording
- Operating through IR remote controller
- 10V DC output for external camera
- Easy operate OSD menu
- Functional LED indicators
- Optional SD-cards and Li-batteries are available

Specifications

Video System	NTSC/PAL	Compression Format	MPEG-4
Resolution	320 x 240, 640x480	Recording Frame Rate	Video: 30/25fps (real-time) Picture: 1 frame@ every 3 second
Video resolution	320 x 240 @ 30/25 fps	Recording Mode	1. Continuously recording 2. By motion detection 3. External camera input
Picture resolution	640x480 @ 1 frame per 3 second	Audio Recording	Optional
Fast Forward Playback	Normal, 2x, 4x	Fast Reverse Playback	2x, 4x
Time/Date Stamp	Playback on unit	Operation Status LED's (Green light)	Recording – normal blink Abnormal – fast blink Non recording - off
Power Input	12V/1A DC	Power Output	Power loop out for Camera application (10V/200mA)
Power Failure Recovery	Auto Recovery	Battery	Removable 3.7V 4000mAh Li-polymer rechargeable battery
AV-Connection	RCA Composite AV input RCA Composite AV output	Firmware Upgradeable	Through SD Card
Dimension	130(H)x90(W)x30(T)mm	Weight	200g (with battery)

Storage


Recording based on variation of scenario	Capacity of SD Card			
	256MB	512MB	1024MB (1GB)	2GB
Less variation @30fps	approx. 3hr	approx. 6hr	approx. 12hr	approx. 23hr
General variation @30fps	approx. 1hr	approx. 2hr	approx. 4hr	approx. 8hr
Action Movie @30fps	approx. 30min	approx. 55min	approx. 1.7hr	approx. 3.5hr

Package contains

- Black Box x 1
- Remote controller x 1
- 512 MB SD card x 1
- USB SD card reader x 1
- Power adaptor x 1
- AV input cable x 1
- AV output cable x 1
- AAA size batteries x 2




Rear View



1	DC 12V Input	2	AV Output	3	AV Input	4	SD Card Slot
5	Power LED Indicator	6	Playback LED Indicator	7	SD LED Indicator	8	Power ON/OFF

Front View



\$ 795.00

There is simply nothing else on the market like the Recluse VideoTek Black Box! For those totally covert and close up video surveillance operations, this is the totally self contained undetectable product to use! Covert video surveillance will never be the same without it! The first shipments will be sent in early March of 2007 so get your order in now as covert video operations for you will never be the same again!